

**TEST REPORT**

**Report** : E18-006082  
**Type of Report** : SPECIAL REQUEST  
**Date of Report** : 13.11.2018 13:26:23  
**Customer Name** : ÇUBUKÇUOĞLU DERİ SAN.TİC. A.Ş.  
**Contact Person** : LEVENT YAMAN  
**Address** : İ.D.O.S.B. SAMA CAD. NO:10/A TUZLA/İST  
**Name and Identity of Test Item** : HYDRO NUBUCK BIZCOCHO  
**The Date of Receipt** : 08.11.2018 10:12:44  
**The Date of Start and End** : 08.11.2018 13.11.2018

**RESULTS E18-006082**

Test Name	Result	UoM	Method(s)	Requirement	"E"
*AZO DYE CONTENT	<5	mg/kg	TS EN ISO 17234-1 / ISO 14362-1	30 mg/kg	P
*CHROMIUM VI CONTENT	<3	mg/kg	TS EN ISO 17075-1	3 mg/kg	P
*Pentachlorophenol (PCP)	<10	mg/kg	TS EN ISO 17070	1000 mg/kg	P
*Tetrachlorophenol (TCP)	<10	mg/kg	TS EN ISO 17070	-	N.R.
*Trichlorophenol (TriCP)	<10	mg/kg	TS EN ISO 17070	-	N.R.
FORMALDEHYDE CONTENT	<16	mg/kg	ISO/FDIS 17226-1	75 mg/kg	P

G.B.

M.Y.

## RESULTS E18-006082

Test Name	Result	UoM	Method(s)	Requirement	"E"
-----------	--------	-----	-----------	-------------	-----

"E: Evaluation; P: Pass ; F: Fail ; NR: Not Requirement ;N.D:Not detected"

KAZLIÇEŞME Deri Ürünleri Araş. Geliş. San. Tic. Ltd. Şti. Deri Ürünleri Ar-ge Laboratuvarı accredited by TÜRKAK under registration number AB-0513-T for TS EN ISO/IEC 17025:2012 as test laboratory. Turkish Accreditation Agency (TÜRKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and to the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement (MRA) for the recognition of test reports.

This report shall not be reproduced other than in full except with the permission of the laboratory.

Testing reports without signature are not valid. (\*)Marked tests are covered by the accreditation, which has (\*\*) signed analysis, have been analyzed by subcontracted Company

Mehmet AYTAZ  
R.S Receiving and Reporting

Approved by  
13.11.2018

Gökçe GÜRSOY  
Laboratory Manager

END OF REPORT

Yigit ÖZERTAN  
Industrial Chemical Laboratory Responsible

**LIST OF PROHIBITED AZO DYE:**

PROHIBITED AMIN	CAS-NO	PROHIBITED AMIN	CAS-NO
4-AMİNOBİFENİL	92-67-1	3,3-DİMETHİL-4,4-DİAMİNOBİFENİLMEFAN	838-88-0
BENZİDİN	92-87-5	P-KRESİDİN	120-71-8
KLORO-O-4-KLOR-O-TOLİDİN	95-69-2	4,4-METİLENE-BİS-(2-KLOROANİLİN)	101-14-4
2-NAPHTİLAMİN	91-59-8	4,4-OXYDİANİLİN	101-80-4
O-AMİNOAZOTOLÜEN	97-56-3	4,4-THİODİANİLİN	139-65-1
2-AMİNO-4-NİTRO-TOLÜEN	99-55-8	O-TOLİDİN	95-53-4
P-KLOROANİLİN	106-47-8	2,4-TOLÜENDİAMİN	95-80-7
2,4-DİAMİNOANİSİL	615-05-4	2,4,5 - TRİMİTİLİYANİLİN	137-17-7
4,4-DİAMİNOBİFENİLMEFAN	101-77-9	O-ANİSİDİN	90-04-0
3,3-DİKLOROBENZİDİN	91-94-1	P-AMİNOAZOBENZEN	60-09-3
3,3-DİMETOKSİBENZİDİN	119-90-4	3,3-DİMETİLBENZİDİN	119-93-7

ppm: part per million (mg/kg)

Dedection Limit: 5 ppm

G-b

M.Y.

**TEST REPORT**

**Report** : E18-006083  
**Type of Report** : SPECIAL REQUEST  
**Date of Report** : 13.11.2018 13:25:45  
**Customer Name** : ÇUBUKÇUOĞLU DERİ SAN.TİC. A.Ş.  
**Contact Person** : LEVENT YAMAN  
**Address** : İ.D.O.S.B. SAMA CAD. NO:10/A TUZLA/İST  
**Name and Identity of Test Item** : HYDRO NUBUCK BLACK  
**The Date of Receipt** : 08.11.2018 10:14:11  
**The Date of Start and End** : 08.11.2018 13.11.2018

**RESULTS E18-006083**

Test Name	Result	UoM	Method(s)	Requirement	"E"
*AZO DYE CONTENT	<5	mg/kg	TS EN ISO 17234-1 / ISO 14362-1	30 mg/kg	P
*CHROMIUM VI CONTENT	<3	mg/kg	TS EN ISO 17075-1	3 mg/kg	P
*Pentachlorophenol (PCP)	<10	mg/kg	TS EN ISO 17070	1000 mg/kg	P
*Tetrachlorophenol (TCP)	<10	mg/kg	TS EN ISO 17070	-	N.R.
*Trichlorophenol (TriCP)	<10	mg/kg	TS EN ISO 17070	-	N.R.
FORMALDEHYDE CONTENT	<16	mg/kg	ISO/FDIS 17226-1	75 mg/kg	P

M.Y. b.b.

## RESULTS E18-006083

Test Name	Result	UoM	Method(s)	Requirement	"E"
-----------	--------	-----	-----------	-------------	-----

"E: Evaluation; P: Pass ; F: Fail ; NR: Not Requirement ;N.D:Not detected"

KAZLIÇEŞME Deri Ürünleri Araş. Geliş. San. Tic. Ltd. Şti. Deri Ürünleri Ar-ge Laboratuvarı accredited by TÜRKAK under registration number AB-0513-T for TS EN ISO/IEC 17025:2012 as test laboratory. Turkish Accreditation Agency (TÜRKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and to the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement (MRA) for the recognition of test reports.

This report shall not be reproduced other than in full except with the permission of the laboratory.

Testing reports without signature are not valid. (\*)Marked tests are covered by the accreditation, which has (\*\*) signed analysis, have been analyzed by subcontracted Company

Mehmet AYTAN  
R.S Receiving and Reporting

Approved by  
13.11.2018

Gökçe GÜRSOY  
Laboratory Manager

END OF REPORT

Yiğit ÖZERTAN  
Industrial Chemical Laboratory Responsible

**LIST OF PROHIBITED AZO DYE:**

PROHIBITED AMIN	CAS-NO	PROHIBITED AMIN	CAS-NO
4-AMİNOBİFENİL	92-67-1	3,3-DİMETHİL-4,4-DİAMİNOBİFENİLMEETAN	838-88-0
BENZİDİN	92-87-5	P-KRESİDİN	120-71-8
KLORO-O-4-KLORO-O-TOLÜİDİN	95-69-2	4,4-METİLLEN-BİS-(2-KLOROANİLİN)	101-14-4
2-NAPHTİLAMİN	91-59-8	4,4-OXYDİANİLİN	101-80-4
O-AMİNOAZOTOLÜEN	97-56-3	4,4-THİODİANİLİN	139-65-1
2-AMİNO-4-NİTRO-TOLÜEN	99-55-8	O-TOLÜİDİN	95-53-4
P-KLOROANİLİN	106-47-8	2,4-TOLÜENDİAMİN	95-80-7
2,4-DİAMİNOANİSOL	615-05-4	2,4,5 - TRİMİYHLYANİLİN	137-17-7
4,4-DİAMİNOBİFENİLMEETAN	101-77-9	O-ANİSİDİN	90-04-0
3,3-DİKLOROBENZİDİN	91-94-1	P-AMİNOAZOBENZEN	60-09-3
3,3-DİMETOKSİBENZİDİN	119-90-4	3,3-DİMETİL-BENZİDİN	119-93-7

ppm: part per million (mg/kg)

Dedection Limit: 5 ppm

G.b

M.Y.